

## D3-D4 BIPHASIC


- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5

## NORMAL

	8 mm	9 mm	10 mm	11 mm	12 mm
○	EF15.3.5-8	EF15.3.5-9	EF15.3.5-10	EF15.3.5-11	EF15.3.5-12
○	EF15.4.0-8	EF15.4.0-9	EF15.4.0-10	EF15.4.0-11	EF15.4.0-12
○	EF15.4.5-8	EF15.4.5-9	EF15.4.5-10	EF15.4.5-11	EF15.4.5-12
○	EF15.5.0-8	EF15.5.0-9	EF15.5.0-10	EF15.5.0-11	EF15.5.0-12
○	EF15.5.5-8	EF15.5.5-9	EF15.5.5-10	EF15.5.5-11	EF15.5.5-12

## LONG

	13 mm	14 mm	15 mm	16 mm	18 mm
○	EF15.3.5-13	EF15.3.5-14	EF15.3.5-15	EF15.3.5-16	EF15.3.5-18
○	EF15.4.0-13	EF15.4.0-14	EF15.4.0-15	EF15.4.0-16	EF15.4.0-18
○	EF15.4.5-13	EF15.4.5-14	EF15.4.5-15	EF15.4.5-16	EF15.4.5-18
○	EF15.5.0-13	EF15.5.0-14	EF15.5.0-15	EF15.5.0-16	EF15.5.0-18
○	EF15.5.5-13	EF15.5.5-14	EF15.5.5-15	EF15.5.5-16	EF15.5.5-18



PROTECTION CAP  
ABUTMENT BRIDGE



20°
EF35.3.5-20
EF35.4.0-20
EF35.4.5-20
EF35.5.0-20
EF35.5.5-20

- 
- 
- 
- 
- 

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5

PROTECTION CAP  
ABUTMENT SINGLE TOOTH



CODE
EF36.3.5
EF36.4.0
EF36.4.5
EF36.5.0
EF36.5.5

- 
- 
- 
- 
- 



COVER SCREW

EF30.3.5	EF30.4.0/5.5
○	○ ○ ○ ○ ○

ANATOMICAL HEALING SCREW



NECK 2 mm	NECK 4 mm	NECK 6 mm
EF33A.3.5-2.0	EF33A.3.5-4.0	EF33A.3.5-6.0
EF33A.4.0-2.0	EF33A.4.0-4.0	EF33A.4.0-6.0
EF33A.4.5-2.0	EF33A.4.5-4.0	EF33A.4.5-6.0
EF33A.5.0-2.0	EF33A.5.0-4.0	EF33A.5.0-6.0
EF33A.5.5-2.0	EF33A.5.5-4.0	EF33A.5.5-6.0

- 
- 
- 
- 
- 

CYLINDRICAL HEALING SCREW



COLLO 2 mm	COLLO 4 mm	COLLO 6 mm
EF33C.3.5-2.0	EF33C.3.5-4.0	EF33C.3.5-6.0
EF33C.4.0-2.0	EF33C.4.0-4.0	EF33C.4.0-6.0
EF33C.4.5-2.0	EF33C.4.5-4.0	EF33C.4.5-6.0
EF33C.5.0-2.0	EF33C.5.0-4.0	EF33C.5.0-6.0
EF33C.5.5-2.0	EF33C.5.5-4.0	EF33C.5.5-6.0

- 
- 
- 
- 
- 



# DRILLS FOR D3 - D4 IMPLANT (TRADITIONAL SURGERY)

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5



UNIVERSAL LANCEOLATE

EF64

UNIVERSAL PRECISION 2 MM

EF65.12      EF65.16

STEP DRILL

NORMAL	LONG	
EF67.2.0/2.7.12	EF67.2.0-2.7.16	○
EF67.2.5/3.0.12	EF67.2.5-3.0.16	○
EF67.3.0/3.5.12	EF67.3.0-3.5.16	○
EF67.3.5/4.0.12	EF67.3.5-4.0.16	○
EF67.4.0/4.5.12	EF67.4.0-4.5.16	○

SHOULDER DRILL

CODE SHOULDER	
EF67.3.5	○
EF67.4.0	○
EF67.4.5	○
EF67.5.0	○
EF67.5.5	○

TAPS

CODE TAPS	
EF83.3.5-D3	○
EF83.4.0-D3	○
EF83.4.5-D3	○
EF83.5.0-D3	○
EF83.5.5-D3	○



## DRILLS FOR D3 - D4 IMPLANT (GUIDED SURGERY)

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5

### ANCOR PIN DRILL

EF64.AP
---------

### UNIVERSAL PRECISION 2 MM

EF65G.12	EF65G.16
----------	----------

### START DRILL

CODE	
EF.START.N	○
EF.START.R	○
EF.START.W	○

### STEP DRILL

NORMAL	LONG	
EF67G.2.0/2.7.12	EF67G.2.0/2.7.16	○
EF67G.2.5/3.0.12	EF67G.2.5/3.0.16	○
EF67G.3.0/3.5.12	EF67G.3.0/3.5.16	○
EF67G.3.5/4.0.12	EF67G.3.5/4.0.16	○
EF67G.4.0/4.5.12	EF67G.4.0/4.5.16	○

### SHOULDER DRILL

CODE SHOULDER	
EF67G.3.5	○
EF67G.4.0	○
EF67G.4.5	○
EF67G.5.0	○
EF67G.5.5	○

### TAPS

CODE TAPS	
EF83G.3.5-D3	○
EF83G.4.0-D3	○
EF83G.4.5-D3	○
EF83G.5.0-D3	○
EF83G.5.5-D3	○



## SURGICAL ACCESSORIES

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5



## DRILL MOUNTER FOR TRADITIONAL SURGERY

9 mm	13 mm	17 mm
EF81T.3.5-9	EF81T.3.5-13	EF81T.3.5-17
EF81T.4.0/5.5-9	EF81T.4.0/5.5-13	EF81T.4.0/5.5-17



## MANUAL MOUNTER FOR TRADITIONAL SURGERY

9 mm	13 mm	17 mm
EF81.3.5-9	EF81.3.5-13	EF81.3.5-17
EF81.4.0/5.5-9	EF81.4.0/5.5-13	EF81.4.0/5.5-17



## MOUNTER FOR GUIDED SURGERY

CODE
EF81G.3.5
EF81G.4.0/4.5
EF81G.5.0/5.5



## MOUNTER SPECIAL FOR GUIDED SURGERY

+2 mm	+3 mm	+5 mm
EF81G.N-S2	EF81G.N-S3	EF81G.N-S5
EF81G.R-S2	EF81G.R-S3	EF81G.R-S5
EF81G.W-S2	EF81G.W-S3	EF81G.W-S5



## DRILL MOUNT ABUTMENT

20 mm	28 mm	36 mm
EF75T.3.5-20	EF75T.3.5-28	EF75T.3.5-36
EF75T.4.0/5.5-20	EF75T.4.0/5.5-28	EF75T.4.0-5.5-36





MANUAL MOUNTABUTMENT

20 mm	28 mm	36 mm
EF75M.3.5-20	EF75M.3.5-28	EF75M.3.5-36
EF75M.4.0/5.5-20	EF75M.4.0/5.5-28	EF75M.4.0/5.5-36



DRILL SCREWDRIVER

20 mm	28 mm	36 mm
EF76T-20	EF76T-28	EF76T-36



MANUAL SCREWDRIVER

20 mm	28 mm	36 mm
EF76M-20	EF76M-28	EF76M-36

BULL ABUTMENT SCREWDRIVER

EF79BULL



RATCHET TORQUE 75 Nw

EF80



FIXED RATCHET

EF80F



RATCHET ADAPTER FOR HEXAGONAL MOUNTER

EF60AD





RATCHET ADAPTER FOR SCREWDRIVER

EF60ADT

DIRECTION INDICATOR



CODE	
EF84.3.5	○
EF84.4.0	○
EF84.4.5	○
EF84.5.0	○
EF84.5.5	○



DRILL EXTENSION

EF78

TISSUE PUNCH



CODE	
EF72.3.5	○
EF72.4.0	○
EF72.4.5	○
EF72.5.0	○
EF72.5.5	○



PORTA MOUNTER

EF82

## REDUCER D3-D4



$\varnothing N$	$\varnothing R$	$\varnothing W$
EF71N.2.0	EF71R.2.0	EF71W.2.0
EF71N.2.5	EF71R.2.5	EF71W.2.5
	EF71R.3.0	EF71W.3.0
	EF71R.3.5	EF71W.3.5
		EF71W.4.0
		EF71W.4.5



## HANDLE FOR REDUCER

EF98



## ANCOR PIN

VESTIBULAR	PALATAL
EF.Ancor-V	EF.Ancor-P

## ANCOR PIN DRILL

EF64.AP



## DEPTH PROBE

EF3



## TITANIUM TWEEZER

EF2

BRIDGE ABUTMENT 20°



NECK 0.1 mm	NECK 1 mm	NECK 2 mm	
EF37.3.5-0.1-20	EF37.3.5-1.0-20	EF37.3.5-2.0-20	○
EF37.4.0-0.1-20	EF37.4.0-1.0-20	EF37.4.0-2.0-20	○
EF37.4.5-0.1-20	EF37.4.5-1.0-20	EF37.4.5-2.0-20	○
EF37.5.0-0.1-20	EF37.5.0-1.0-20	EF37.5.0-2.0-20	○
EF37.5.5-0.1-20	EF37.5.5-1.0-20	EF37.5.5-2.0-20	○

MILLABLE ABUTMENT



NECK 0.1 mm	
EF40F.3.5-0.1	○
EF40F.4.0-0.1	○
EF40F.4.5-0.1	○
EF40F.5.0-0.1	○
EF40F.5.5-0.1	○

SINGLE TOOTH ABUTMENT




NECK 0.1 mm	NECK 1 mm	NECK 2 mm	
EF40.3.5-0.1	EF40.3.5-1.0	EF40.3.5-2.0	○
EF40.4.0-0.1	EF40.4.0-1.0	EF40.4.0-2.0	○
EF40.4.5-0.1	EF40.4.5-1.0	EF40.4.5-2.0	○
EF40.5.0-0.1	EF40.5.0-1.0	EF40.5.0-2.0	○
EF40.5.5-0.1	EF40.5.5-1.0	EF40.5.5-2.0	○

## BULL ABUTMENT



NECK 1 mm	NECK 2 mm	NECK 3 mm	
EF47.3.5-1.0	EF47.3.5-2.0	EF47.3.5-3.0	○
EF47.4.0-1.0	EF47.4.0-2.0	EF47.4.0-3.0	●
EF47.4.5-1.0	EF47.4.5-2.0	EF47.4.5-3.0	○
EF47.5.0-1.0	EF47.5.0-2.0	EF47.5.0-3.0	●
EF47.5.5-1.0	EF47.5.5-2.0	EF47.5.5-3.0	○

## SLEEVE



CODE	
EF64SL.3.5	○
EF64SL.4.0-4.5	● ○
EF64SL.5.0-5.5	● ○

## GUIDING CYLINDER



CODE	
EF86.3.5	○
EF86.4.0-4.5	● ○
EF86.5.0-5.5	● ○

FIXING SCREW FOR  
GUIDING CYLINDER

CODE	
EF86V.3.5	○
EF86V.4.0-4.5	● ○
EF86V.5.0-5.5	● ○

## SPECIAL GUIDING CYLINDER



2 mm	3 mm	5 mm	
EF86.N-S2	EF86.N-S3	EF86.N-S5	○
EF86.R-S2	EF86.R-S3	EF86.R-S5	● ○
EF86.W-S2	EF86.W-S3	EF86.W-S5	● ○

## FIXING SCREW FOR SPECIAL GUIDING CYLINDER



2 mm	3 mm	5 mm	
EF86V.N-S2	EF86V.N-S3	EF86V.N-S5	○
EF86V.R-S2	EF86V.R-S3	EF86V.R-S5	● ○
EF86V.W-S2	EF86V.W-S3	EF86V.W-S5	● ○

## IMPRESSION COPING

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5

WITH ENGAGEMENT FIXTURE - SINGLE TOOTH  
(closed tray)



CODE	
EF60.3.5	○
EF60.4.0	○
EF60.4.5	○
EF60.5.0	○
EF60.5.5	○

WITH ENGAGEMENT FIXTURE - SINGLE TOOTH  
(open tray)



CODE	
EF60Dpa.3.5	○
EF60Dpa.4.0	○
EF60Dpa.4.5	○
EF60Dpa.5.0	○
EF60Dpa.5.5	○

WITH ENGAGEMENT FIXTURE - BRIDGE  
(open tray)




CODE	
EF60Ppa.3.5	
EF60Ppa.4.0	
EF60Ppa.4.5	
EF60Ppa.5.0	
EF60Ppa.5.5	

SINGLE TOOTH ABUTMENT  
(closed tray)

CODE	
EF61A.3.5	
EF61A.4.0	
EF61A.4.5	
EF61A.5.0	
EF61A.5.5	

SINGLE TOOTH ABUTMENT  
(open tray)

CODE	
EF61Apa.3.5	○
EF61Apa.4.0	○
EF61Apa.4.5	○
EF61Apa.5.0	○
EF61Apa.5.5	○

BRIDGE ABUTMENT 20°  
(open tray)

CODE	
EF60Apa20.3.5	○
EF60Apa20.4.0	○
EF60Apa20.4.5	○
EF60Apa20.5.0	○
EF60Apa20.5.5	○

BRIDGE ABUTMENT 20°  
(closed tray)

CODE	
EF60A20.3.5	○
EF60A20.4.0	○
EF60A20.4.5	○
EF60A20.5.0	○
EF60A20.5.5	○

BULL ABUTMENT TRANSFER - CATALOG RHEIN  
(closed tray)

144MTE

## SCREW FOR IMPRESSION COPING

Open and closed tray

BRIDGE Ø 3.5

BRIDGE Ø 4.0/5.5

SINGLE TOOTH Ø 3.5

SINGLE TOOTH Ø 4.0/5.5

ENGAGEMENT FIXTURE Ø 3.5

ENGAGEMENT FIXTURE Ø 4.0/5.5

CODE
EF57P.3.5
EF57P.4.0-5.5
EF57DS.3.5
EF57DS.4.0-5.5
EF57FIX.3.5
EF57FIX.4.0-5.5



# REPLICA ABUTMENT

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5

## REPLICA ABUTMENT - BRIDGE 20°



x 12	
EF63A20.3.5-12	○
EF63A20.4.0-12	○
EF63A20.4.5-12	○
EF63A20.5.0-12	○
EF63A20.5.5-12	○

## REPLICA ABUTMENT - SINGLE TOOTH



x 12	
EF63AS.3.5-12	○
EF63AS.4.0-12	○
EF63AS.4.5-12	○
EF63AS.5.0-12	○
EF63AS.5.5-12	○

## REPLICA BULL ABUTMENT (Catalog Rhein)

144AE



## FIXTURE REPLICA

x 12	
EF63.3.5-12	○
EF63.4.0-5.5-12	○ ○ ○ ○

## TEMPORARY CYLINDER

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5

## TI TEMPORARY CYLINDER - BRIDGE



20 mm	
EF44.3.5-20	○
EF44.4.0-20	○
EF44.4.5-20	○
EF44.5.0-20	○
EF44.5.5-20	○

## TI TEMPORARY CYLINDER - SINGLE TOOTH



CODE	
EF44S.3.5	○
EF44S.4.0	○
EF44S.4.5	○
EF44S.5.0	○
EF44S.5.5	○

## TEMPORARY CYLINDER - BRIDGE (STEEL)



20 mm	
EF44.3.5-20stee	○
EF44.4.0-20stee	○
EF44.4.5-20stee	○
EF44.5.0-20stee	○
EF44.5.5-20stee	○

## TEMPORARY CYLINDER - SINGLE TOOTH (STEEL)



CODE	
EF44S.3.5-stee	○
EF44S.4.0-stee	○
EF44S.4.5-stee	○
EF44S.5.0-stee	○
EF44S.5.5-stee	○

## TEMPORARY ABUTMENT

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5

## TI TEMPORARY ABUTMENT - BRIDGE



NECK 0.1 mm	NECK 1 mm	NECK 2 mm	
EF38.3.5-0.1	EF38.3.5-1.0	EF38.3.5-2.0	○
EF38.4.0-0.1	EF38.4.0-1.0	EF38.4.0-2.0	○
EF38.4.5-0.1	EF38.4.5-1.0	EF38.4.5-2.0	○
EF38.5.0-0.1	EF38.5.0-1.0	EF38.5.0-2.0	○
EF38.5.5-0.1	EF38.5.5-1.0	EF38.5.5-2.0	○

## TI TEMPORARY ABUTMENT - SINGLE TOOTH



NECK 0.1 mm	NECK 1 mm	NECK 2 mm	
EF42.3.5-0.1	EF42.3.5-1.0	EF42.3.5-2.0	○
EF42.4.0-0.1	EF42.4.0-1.0	EF42.4.0-2.0	○
EF42.4.5-0.1	EF42.4.5-1.0	EF42.4.5-2.0	○
EF42.5.0-0.1	EF42.5.0-1.0	EF42.5.0-2.0	○
EF42.5.5-0.1	EF42.5.5-1.0	EF42.5.5-2.0	○

# CASTABLE TEMPORARY CYLINDER FOR WAX-UP

## CASTABLE TEMPORARY CYLINDER FOR WAX-UP - BRIDGE



20 mm	
EF45w20.3.5	○
EF45w20.4.0	○
EF45w20.4.5	○
EF45w20.5.0	○
EF45w20.5.5	○

- 
- 
- 
- 
- 

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5

## CASTABLE TEMPORARY CYLINDER FOR WAX-UP - SINGLE TOOTH



CODE	
EF44w.3.5	○
EF44w.4.0	○
EF44w.4.5	○
EF44w.5.0	○
EF44w.5.5	○

- 
- 
- 
- 
- 

## CASTABLE COMPONENT



CODE	
EFW.3.5	○
EFW.4.0-5.5	○ ○ ○ ○

- 
- ○ ○ ○

## CASTABLE TEMPORARY ABUTMENT FOR WAX-UP

### CASTABLE TEMPORARY ABUTMENT FOR WAX-UP - BRIDGE



CODE
EF45Aw.3.5
EF45Aw.4.0
EF45Aw.4.5
EF45Aw.5.0
EF45Aw.5.5



○ Ø 3.5

○ Ø 4.0

○ Ø 4.5

○ Ø 5.0

○ Ø 5.5

### CASTABLE TEMPORARY ABUTMENT FOR WAX-UP - SINGLE TOOTH



CODE
EF44Aw.3.5
EF44Aw.4.0
EF44Aw.4.5
EF44Aw.5.0
EF44Aw.5.5



## ACCESSORIES

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5



DRILL MOUNTABUTMENT Ø 3.5

20 mm	28 mm	36 mm
EF75T.3.5-20	EF75T.3.5-28	EF75T.3.5-36



DRILL MOUNTABUTMENT Ø 4.0/5.5

20 mm	28 mm	36 mm
EF75T.4.0/5.5-20	EF75T.4.0/5.5-28	EF75T.4.0/5.5-36



MANUAL MOUNTABUTMENT Ø 3.5

20 mm	28 mm	36 mm
EF75M.3.5-20	EF75M.3.5-28	EF75M.3.5-36



MANUAL MOUNTABUTMENT Ø 4.0/5.5

20 mm	28 mm	36 mm
EF75M.4.0/5.5-20	EF75M.4.0/5.5-28	EF75M.4.0/5.5-36



DRILL SCREWDRIVER

20 mm	28 mm	36 mm
EF76T-20	EF76T-28	EF76T-36



MANUAL SCREWDRIVER

20 mm	28 mm	36 mm
EF76M-20	EF76M-28	EF76M-36

STEEL ABUTMENT FOR LABORATORY - BRIDGE 20°

NECK 0.1 mm	NECK 1 mm	NECK 2 mm
EF37.3.5LAB.0.1	EF37.3.5LAB.1.0	EF37.3.5LAB.2.0
EF37.4.0LAB.0.1	EF37.4.0LAB.1.0	EF37.4.0LAB.2.0
EF37.4.5LAB.0.1	EF37.4.5LAB.1.0	EF37.4.5LAB.2.0
EF37.5.0LAB.0.1	EF37.5.0LAB.1.0	EF37.5.0LAB.2.0
EF37.5.5LAB.0.1	EF37.5.5LAB.1.0	EF37.5.5LAB.2.0



# PRODUCTS FOR PROTOTYPING

- Ø 3.5
- Ø 4.0
- Ø 4.5
- Ø 5.0
- Ø 5.5



## TEMPORARY CYLINDER SCAN BODIES

CODE	
EF44scan.3.5	○
EF44scan.4.0	○



## FIXTURE REPLICA FOR PROTOTYPING

CODE	
EF63P.3.5	○
EF63P.4.0-5.5	○ ○ ○ ○



- FIXING SCREW Ø 4.0/5.5
- SINGLE TOOTH ABUTMENT
- SINGLE TOOTH ANGLED ABUTMENT 15°/30°/40°/45°
- BRIDGE ANGLED ABUTMENT 15°/30°/40°/45°
- SINGLE TOOTH ABUTMENT 15°/30°/40°/45° - LABORATORY
- BRIDGE ABUTMENT 15°/30°/40°/45° - LABORATORY
- MILLABLE ABUTMENT
- ZIGOMA IMPLANTS ABUTMENT 30°/40°/45°
- SINGLE TOOTH TEMPORARY ABUTMENT
- BRIDGE TEMPORARY ABUTMENT
- SINGLE TOOTH TEMPORARY ABUTMENT ANGLED 15°/30°
- SINGLE TOOTH CASTABLE TEMPORARY ABUTMENT WAX-UP
- BRIDGE CASTABLE TEMPORARY ABUTMENT WAX-UP

EF55F

- 
- 
- 
- 



- FIXING SCREW Ø 3.5
- SINGLE TOOTH ABUTMENT
- SINGLE TOOTH ANGLED ABUTMENT 15°/30°/40°/45°
- BRIDGE ANGLED ABUTMENT 15°/30°/40°/45°
- SINGLE TOOTH ABUTMENT 15°/30°/40°/45° - LABORATORY
- BRIDGE ABUTMENT 15°/30°/40°/45° - LABORATORY
- MILLABLE ABUTMENT
- ZIGOMA IMPLANTS ABUTMENT 30°/40°/45°
- SINGLE TOOTH TEMPORARY ABUTMENT
- BRIDGE TEMPORARY ABUTMENT
- SINGLE TOOTH TEMPORARY ABUTMENT ANGLED 15°/30°
- SINGLE TOOTH CASTABLE TEMPORARY ABUTMENT WAX-UP
- BRIDGE CASTABLE TEMPORARY ABUTMENT WAX-UP

EF55F-3.5

- 





PROSTHETIC SCREW Ø 4.0/5.5  
BRIDGE ABUTMENT  
BRIDGE TEMPORARY CYLINDER  
TBRIDGE TEMPORARY CYLINDER WAX-UP

EF56



PROSTHETIC SCREW Ø 3.5  
BRIDGE ABUTMENT  
BRIDGE TEMPORARY CYLINDER  
BRIDGE TEMPORARY CYLINDER WAX-UP

EF56-3.5



PROSTHETIC SCREW Ø 4.0/5.5  
SINGLE TOOTH TEMPORARY CYLINDER  
SINGLE TOOTH TEMPORARY CYLINDER WAX-UP

EF55



PROSTHETIC SCREW Ø 3.5  
SINGLE TOOTH TEMPORARY CYLINDER  
SINGLE TOOTH TEMPORARY CYLINDER WAX-UP

EF55-3.5



## IMPRESSION COPING SCREW

open and cose tray

BRIDGE Ø 3.5

BRIDGE Ø 4.0/5.5

SINGLE TOOTH Ø 3.5

SINGLE TOOTH Ø 4.0/5.5

ENGAGEMENT FIXTURE Ø 3.5

ENGAGEMENT FIXTURE Ø 4.0/5.5

CODE

EF57P.3.5

EF57P.4.0-5.5

EF57DS.3.5

EF57DS.4.0-5.5

EF57FIX.3.5

EF57FIX.4.0-5.5



## SCREWS FOR KIT 15 ° SINGLE TOOTH OR BRIDGE

PROSTHETIC SCREW TEMPORARY CYLINDER/ABUTMENT

SCREW UNION IMPRESSION COPING/ABUTMENT

SCREW UNION REPLICA ABUTMENT/IMPRESSION COPING

LABORATORY SCREW FOR UNION TEMPORARY CYLINDER/REPLICA ABUTMENT

CODE
EF56AA
EF5715
EF5715RA
EF55LAB

## SCREW FOR KIT 30° SINGLE TOOTH OR BRIDGE

PROSTHETIC SCREW TEMPORARY CYLINDER/ABUTMENT

SCREW UNION IMPRESSION COPING/ABUTMENT

SCREW UNION REPLICA ABUTMENT/IMPRESSION COPING

LABORATORY SCREW FOR UNION TEMPORARY CYLINDER/REPLICA ABUTMENT

CODE
EF56AA
EF5730
EF5730RA
EF55LAB

## SCREW FOR KIT 40° SINGLE TOOTH OR BRIDGE

PROSTHETIC SCREW TEMPORARY CYLINDER/ABUTMENT

SCREW UNION IMPRESSION COPING/ABUTMENT

SCREW UNION REPLICA ABUTMENT/IMPRESSION COPING

LABORATORY SCREW FOR UNION TEMPORARY CYLINDER/REPLICA ABUTMENT

CODE
EF56AA
EF5740
EF5740RA
EF55LAB

## SCREW FOR KIT 45° SINGLE TOOTH OR BRIDGE

PROSTHETIC SCREW TEMPORARY CYLINDER/ABUTMENT

SCREW UNION IMPRESSION COPING/ABUTMENT

SCREW UNION REPLICA ABUTMENT/IMPRESSION COPING

LABORATORY SCREW FOR UNION TEMPORARY CYLINDER/REPLICA ABUTMENT

CODE
EF56AA
EF5745
EF5745RA
EF55LAB